



## Plastic cable entry plate of Type KDP/X 24



Cable entry plate KDP plastic rectangular

### PRODUCT INFORMATION

4. Generation of our cable entry plates, plastic, square, with improved clip-in function and one instead of two elastomer plates. Economical connection technology for tool-free wiring of equipment and machinery. Wherever the rapid and economical introduction of cables and/or pneumatic hoses in confined spaces is essential. The alter-

native to cable fittings. Suitable for standard cut-outs for 24-pin Harting and Wieland connectors. For snap-in fastening and/or screwing in place.

- Snap-in at plate thicknesses of 1.5 to 2.0 mm
- High degree of strain relief

### SPECIFICATIONS

|  |  |
|--|--|
|  | Enclosure: Polyamide 6.6<br>Seal: TPU / EPDM |
|  | IP 65  |
|  | -30 – 70 °C                                  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

| Type                      | Order No. | Colour | No. Openings | Openings Quantity / Ø mm | Pack qty. |
|---------------------------|-----------|--------|--------------|--------------------------|-----------|
| KDP/X 24/10 <sup>1)</sup> | 87301305  | Black  | 10           | 2x 3.00 – 6.50           | 1         |
|                           |           |        |              | 1x 5.00 – 9.20           |           |
|                           |           |        |              | 5x 9.00 – 14.00          |           |
|                           |           |        |              | 2x 14.00 – 20.00         |           |
| KDP/X 24/11               | 87301315  | Black  | 11           | 4x 3.00 – 6.50           | 1         |
|                           |           |        |              | 4x 5.00 – 9.20           |           |
|                           |           |        |              | 3x 14.00 – 20.00         |           |
| KDP/X 24/12               | 87301325  | Black  | 12           | 12x 8.00 – 12.00         | 1         |
| KDP/X 24/13               | 87301335  | Black  | 13           | 2x 3.00 – 5.50           | 1         |
|                           |           |        |              | 6x 4.10 – 8.10           |           |
|                           |           |        |              | 4x 9.00 – 14.00          |           |
| KDP/X 24/14               | 87301345  | Black  | 14           | 1x 14.00 – 20.00         | 1         |
|                           |           |        |              | 6x 3.00 – 6.50           |           |
|                           |           |        |              | 4x 5.00 – 9.20           |           |
| KDP/X 24/17               | 87301355  | Black  | 17           | 4x 9.60 – 15.90          | 1         |
|                           |           |        |              | 17x 5.00 – 9.20          |           |
|                           |           |        |              | 11x 3.00 – 6.50          |           |
| KDP/X 24/17-1             | 87301356  | Black  | 17           | 1x 4.10 – 8.10           | 1         |
|                           |           |        |              | 5x 8.00 – 12.50          |           |
|                           |           |        |              | 16x 3.00 – 6.50          |           |
| KDP/X 24/22               | 87301365  | Black  | 22           | 4x 5.00 – 9.20           | 1         |
|                           |           |        |              | 16x 3.00 – 6.50          |           |
|                           |           |        |              | 2x 8.00 – 12.50          |           |
| KDP/X 24/23               | 87301375  | Black  | 23           | 23x 4.10 – 8.10          | 1         |
| KDP/X 24/29               | 87301385  | Black  | 29           | 29x 3.00 – 6.50          | 1         |

<sup>1)</sup>no UR approval

## Plastic cable entry plate of Type KDP/X 24


Cable entry plate KDP plastic rectangular

### DIMENSION TABLE

| Type                      | Order No. | Installation height<br>mm | A<br>mm | B<br>mm | a<br>mm | b<br>mm | c<br>mm | d<br>mm | e<br>mm |
|---------------------------|-----------|---------------------------|---------|---------|---------|---------|---------|---------|---------|
| KDP/X 24/10 <sup>1)</sup> | 87301305  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/11               | 87301315  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/12               | 87301325  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/13               | 87301335  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/14               | 87301345  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/17               | 87301355  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/17-1             | 87301356  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/22               | 87301365  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/23               | 87301375  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |
| KDP/X 24/29               | 87301385  | 15.00                     | 59.00   | 147.00  | 112.00  | 36.00   | 65.00   | 16.00   | 5.50    |

<sup>1)</sup> no UR approval

### MATERIAL PROPERTIES

 Enclosure: Polyamide 6.6  
Seal: TPU / EPDM

### MECHANICAL PROPERTIES

 **Protection class**  
IP 65

### THERMAL PROPERTIES

 **Temperature / temperature range**  
-30 – 70 °C

### APPROVALS AND OPERATING PERMITS

 **CSA approval**

 **UR approval**

## Plastic cable entry plate of Type KDP/X 24

### TECHNICAL INFORMATION

 LABS free

 UV-resistant

### CONFORMITY

 RoHS (EC Directive 202/95/EC)

### GENERAL INFORMATION

 Made in Germany

All details given in our sales material prospectuses and catalogues as well as the information available online are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID\_57821~20170712~890287~kdh\_kdp\_x\_24